

to-be-determined: L^AT_EX Package for highlighting places that require more work*

Yegor Bugayenko
yegor256@gmail.com

31.10.20220, 0.3.0

1 Introduction

This package helps you highlight places in your articles and make sure it looks nice. Install it from CTAN and then use like this:

The budget is 99.00 USD.

```
1 \documentclass{article}
2 \pagestyle{empty}
3 \usepackage{to-be-determined}
4 \begin{document}
5 The budget is \tbd{99.00 USD}.
6 \end{document}
```

2 Package Options

- hide** If you want to hide the content of what's inside `\tbd`, use `hide` option of the package. They will all be replaced with `TBD` placeholders.
- off** If you want them to disappear entirely, use the `off` package option.

3 Implementation

First, we parse package options:

```
1 \RequirePackage{xkeyval}
2 \makeatletter
3 \newif\iftbd@hide
4 \DeclareOptionX{hide}{\tbd@hidetrue}
5 \newif\iftbd@off
6 \DeclareOptionX{off}{\tbd@offtrue}
7 \makeatother
8 \ProcessOptionsX\relax
```

Then, we include a few packages:

```
9 \RequirePackage{xcolor}
10 \RequirePackage{soul}
```

*The sources are in GitHub at [yegor256/to-be-determined](https://github.com/yegor256/to-be-determined)

`\tbd` Finally, we define the `\tbd` command:

```
11 \makeatletter\newcommand\tbd[1]{%
12   \iftbd@off\else%
13     \sethlcolor{yellow}%
14     \iftbd@hide%
15       \hl{TBD}%
16     \else%
17       \hl{#1}%
18     \fi%
19   \fi%
20 }\makeatother
```

Change History

v0.2.0

General: Initial version 1

v0.3.0

General: We started using "docshots"
package for rendering examples. . . 1

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

D		M		R	
<code>\DeclareOptionX</code> ...	<i>4, 6</i>	<code>\makeatletter</code>	<i>2, 11</i>	<code>\relax</code>	<i>8</i>
		<code>\makeatother</code>	<i>7, 20</i>	<code>\RequirePackage</code> .	<i>1, 9, 10</i>
H		N		S	
<code>\hl</code>	<i>15, 17</i>	<code>\newif</code>	<i>3, 5</i>	<code>\sethlcolor</code>	<i>13</i>
I		P		T	
<code>\iftbd@hide</code>	<i>3, 14</i>	<code>\ProcessOptionsX</code>	<i>8</i>	<code>\tbd</code>	<u><i>11</i></u>
<code>\iftbd@off</code>	<i>5, 12</i>			<code>\tbd@hidetrue</code>	<i>4</i>
				<code>\tbd@offtrue</code>	<i>6</i>