

```

% README.inputs of the french style distribution
%                                     Copyright Bernard Galle as in french.doc
%
%
%                                     last mods: 2002/02/27

```

This material was designed to help (La)TeX users to print french documents i.e. according to french typographic habits. Here are the files that require to be found via the usual TEXINPUT path.

The french style files, as distributed by his author is composed of other directories. This inputs directory hosts the following directories and files:

```

%%>=====
total 448
-rw-r--r--  1 bernard  bernard  23863 Jun 28 16:58 KnownBug.pdf
-r--r--r--  1 bernard  bernard  10825 Jun 28 17:33 README
-rw-r--r--  1 bernard  bernard  27225 Jun 28 16:58 README_inputs.pdf
-rw-r--r--  1 bernard  bernard   5726 Jun 28 16:58 copyrigh.tex
drwxr-xr-x 26 bernard  bernard   884 Jun 28 17:33 french
drwxr-xr-x  5 bernard  bernard   170 Oct 14  2006 frozen
-rw-r--r--  1 bernard  bernard 109513 Jun 28 16:58 history.pdf
-rw-r--r--  1 bernard  bernard  37810 Jun 28 16:58 historyk.pdf
drwxr-xr-x 23 bernard  bernard   782 Jun 28 17:32 keyboard
lrwxr-xr-x  1 bernard  bernard    6 Jun 28 15:58 link_to_README -> README
drwxr-xr-x  3 bernard  bernard   102 Oct 14  2006 mkindex
drwxr-xr-x 15 bernard  bernard   510 Oct 14  2006 mlp
drwxr-xr-x  7 bernard  bernard   238 Jun 28 17:32 msg
drwxr-xr-x  3 bernard  bernard   102 Jun 28 16:58 other

```

/Volumes/Home/Users/bernard/homeserveur/lib/source/french/inputs/french:

```

total 704
-rw-r--r--  1 bernard  bernard   1485 Jun 28 15:58 enbib.ldf
-rw-r--r--  1 bernard  bernard   4365 Jun 28 17:00 fenglish.sty
-rw-r--r--  1 bernard  bernard   6801 Jun 28 15:58 frbabel.sty
-rw-r--r--  1 bernard  bernard   1485 Jun 28 15:58 frbib.ldf
-r--r--r--  1 bernard  bernard 10300 Jun 28 17:31 french-msg.tex
-rw-r--r--  1 bernard  bernard   1865 Jun 28 16:58 french.all
-rw-r--r--  1 bernard  bernard   2510 Jun 28 16:58 french.chk
-rw-r--r--  1 bernard  bernard   5032 Jun 28 16:58 french.cmd
-rw-r--r--  1 bernard  bernard   2733 Jun 28 16:58 french.dmy
-rw-r--r--  1 bernard  bernard   4163 Jun 28 17:00 french.ldf
-rw-r--r--  1 bernard  bernard 129678 Jun 28 17:00 french.sty
-r--r--r--  1 bernard  bernard 11474 Jun 28 17:31 french_french-msg.tex
-rw-r--r--  1 bernard  bernard   453 Jun 28 15:58 frenchle.cfg
-rw-r--r--  1 bernard  bernard   2915 Jun 28 17:00 frenchle.ldf
-r--r--r--  1 bernard  bernard  82597 Jun 28 17:00 frenchle.sty
-rw-r--r--  1 bernard  bernard   2703 Jun 28 16:45 frenchpro.ldf
-rw-r--r--  1 bernard  bernard   448 Jun 28 15:58 frenchpro.sty
-rw-r--r--  1 bernard  bernard   3573 Jun 28 16:58 frhyphex.tex
-rw-----  1 bernard  bernard   441 Jun 28 17:33 frlicense.dat
-rw-r--r--  1 bernard  bernard   746 Jun 28 17:31 frlicense.log
-rw-r--r--  1 bernard  bernard 10878 Jun 28 16:58 fxabbrev.tex
-r--r--r--  1 bernard  bernard 11584 Jun 28 17:31 german_french-msg.tex
-rw-r--r--  1 bernard  bernard   4106 Jun 28 15:58 language.dat
-rw-r--r--  1 bernard  bernard   523 Jun 28 16:58 pmfrench.sty

```

/Volumes/Home/Users/bernard/homeserveur/lib/source/french/inputs/frozen:

```

total 584
-rw-r--r--  1 bernard  bernard   3543 Jun 28 16:45 fengl209.sty

```

```
-rw-r--r-- 1 bernard bernard 143519 Dec 11 1997 frltx209.sty
-rw-r--r-- 1 bernard bernard 143517 Jun 28 16:45 frplain.sty
```

/Volumes/Home/Users/bernard/homeserveur/lib/source/french/inputs/keyboard:

total 560

```
-rw-r--r-- 1 bernard bernard 1628 Jun 28 15:58 TeX.kbc
-rw-r--r-- 1 bernard bernard 10558 Jun 28 15:58 ansinew.kbc
-rw-r--r-- 1 bernard bernard 11718 Jun 28 15:58 applemac.kbc
-rw-r--r-- 1 bernard bernard 1631 Jun 28 15:58 ascii.kbc
-rw-r--r-- 1 bernard bernard 10574 Jun 28 15:58 cp850.kbc
-rw-r--r-- 1 bernard bernard 10639 Jun 28 15:58 decmulti.kbc
-rw-r--r-- 1 bernard bernard 12460 Jun 28 17:32 english.keyboard.dat
-r--r--r-- 1 bernard bernard 3491 Jun 28 17:31 french_keyboard-msg.tex
-rw-r--r-- 1 bernard bernard 1041 Jun 28 15:58 frenchfc.tex
-r--r--r-- 1 bernard bernard 3552 Jun 28 17:31 german_keyboard-msg.tex
-rw-r--r-- 1 bernard bernard 91646 Jun 28 16:58 kbconfig.tex
-r--r--r-- 1 bernard bernard 3053 Jun 28 17:31 keyboard-msg.tex
-rw-r--r-- 1 bernard bernard 12460 Jun 28 17:32 keyboard.dat
-rw-r--r-- 1 bernard bernard 12460 Jun 28 15:58 keyboard.org
-rw-r--r-- 1 bernard bernard 6545 Jun 28 17:00 keyboard.sty
-rw-r--r-- 1 bernard bernard 839 Jun 28 15:58 keyboard.tex
-rw-r--r-- 1 bernard bernard 11265 Jun 28 15:58 latin1.kbc
-rw-r--r-- 1 bernard bernard 12101 Jun 28 15:58 latin9.kbc
-rw-r--r-- 1 bernard bernard 10360 Jun 28 15:58 next.kbc
-rw-r--r-- 1 bernard bernard 1837 Jun 28 15:58 qwerty.kbc
-rw-r--r-- 1 bernard bernard 15295 Jun 28 15:58 utf8.kbc
```

/Volumes/Home/Users/bernard/homeserveur/lib/source/french/inputs/mkindex:

total 8

```
-rw-r--r-- 1 bernard bernard 471 Jun 28 15:58 fridx1.ist
```

/Volumes/Home/Users/bernard/homeserveur/lib/source/french/inputs/mlp:

total 104

```
-rw-r--r-- 1 bernard bernard 1496 Jun 28 15:58 deutschx.mlp
-rw-r--r-- 1 bernard bernard 1990 Jun 28 15:58 francais.mlp
-rw-r--r-- 1 bernard bernard 2434 Jun 28 15:58 internat.mlp
-rw-r--r-- 1 bernard bernard 599 Jun 28 15:58 mlp-01.sty
-rw-r--r-- 1 bernard bernard 673 Jun 28 15:58 mlp-31.sty
-rw-r--r-- 1 bernard bernard 908 Jun 28 15:58 mlp-33.sty
-rw-r--r-- 1 bernard bernard 3036 Jun 28 15:58 mlp-49.sty
-rw-r--r-- 1 bernard bernard 3134 Jun 28 15:58 mlp-49n.sty
-r--r--r-- 1 bernard bernard 713 Jun 28 17:00 mlp-opts.sty
-r--r--r-- 1 bernard bernard 1317 Jun 28 17:00 mlp.sty
-rw-r--r-- 1 bernard bernard 1788 Jun 28 15:58 ndeutsch.mlp
-rw-r--r-- 1 bernard bernard 1792 Jun 28 15:58 noesterr.mlp
-rw-r--r-- 1 bernard bernard 1789 Jun 28 15:58 oesterre.mlp
```

/Volumes/Home/Users/bernard/homeserveur/lib/source/french/inputs/msg:

total 80

```
-r--r--r-- 1 bernard bernard 2938 Jun 28 17:31 french_msg-msg.tex
-r--r--r-- 1 bernard bernard 2640 Jun 28 17:31 german_msg-msg.tex
-r--r--r-- 1 bernard bernard 2628 Jun 28 17:31 msg-msg.tex
-rw-r--r-- 1 bernard bernard 24255 Jun 28 17:00 msg.sty
-r--r--r-- 1 bernard bernard 1746 Jun 28 17:31 norsk_msg-msg.tex
```

/Volumes/Home/Users/bernard/homeserveur/lib/source/french/inputs/other:

total 8

```
-rw-r--r-- 1 bernard bernard 2073 Jun 28 16:58 epreuve.sty
```

%%<=====

Quick description of contents by topic:

README.inputs.pdf : this file.

copyright.tex : The Copyright of the package "French Pro" (target \input)
history.pdf : list of changes in french prior the previous distribution
historyk.pdf : list of changes in keyboard prior the previous distribution
KnownBug.pdf : information about few known bugs.

French Pro package

enbib.ldf and
frbib.ldf : strings used by usual bibliography and french BibTeX styles
(look at the contrib directory for them).
fenglish.sty : a minimum set of things for an english like language (i.e. the
language used in LaTeX)
french.all : LaTeX code to test if all french commands are alive and
executable.
french.chk : a (La)TeX code for checking any incompatibility
with the french style
french.cmd : a macro code introducing all French Pro command-names.
french.dmy : a (La)TeX code to run a french doc. without any french style
french.ldf : the code used by babel to load the french package (pro or le)
french.sty : THE code (may run alone but normally uses other files)
frenchle.sty : the light version of the french style
frenchpro.sty : another way to call French Pro (\usepackage{frenchpro})
frhyphex.tex : the french hyphenation exceptions (7bit encoding)
frlicense.dat : when registered contain license numbers.
fxabbrev.tex : the french abbreviations file. This file has to be translated
to 8bit and renamed frabbrev.tex
language.dat : the configuration file for languages.
pmfrench.sty : "Poor Man French" style. Calls french.sty but run it
in a "poor-man" way (e.g. in any installation not completely
configured for French).

frozen

[fengl209.sty : a former version of fenglish.sty (for ltx209 & plain TeX)]
[The following is just for any help, should never be used anymore:]
[frplain.sty : the same code, frozen, as of 97/12/11 for Plain TeX users.]
[frltx209.sty : the same code, frozen, as of 97/12/11 for LaTeX 2.09 users.]

mkindex

fridx1.ist : index style for Makeindex (makeindex -s fridx1.ist)

keyboard

ansinew.kbc : file called for ANSINew input encoding (windows). 8-bit file.
applemac.kbc : file called for Mac systems input encoding. 8-bit file.
ascii.kbc : the most reduced input encoding
cp850.kbc : file called for PC code-page 850 input encoding. 8-bit file.
decmulti.kbc : file called for Dec Multinational (or even ISO-Latin-1)
encoding. 8-bit file (this is the default)
latin1.kbc : file called for ISO-Latin-1 encoding. 8-bit file.
latin9.kbc : file called for ISO-Latin-9 encoding. 8-bit file.
next.kbc : file called for Next systems input encoding. 8-bit file.
frenchfc.tex : French translation file when using "fullchars" with keyboard.
kbconfig.tex : the code which is used to read & understand xxx.kbc files.
keyboard.org : the original file for the following:
keyboard.dat : the file to configure for loading the keyboard encoding
you are using, either loading one of the standard xxx.kbc

either loading your own definition file.
keyboard.sty : The package "keyboard" acting for input encoding.
keyboard.tex : The interface for Plain TeX to load the keyboard package.

mlp (multi-lingual package)

mlp.sty : The Multi-Lingual Package
mlp-*.sty : linguistic interface for mlp (* is the int. phone prefix)
mlp-opts.sty : a package to check and translate options for mlp.
.mlp : options definition and translation for language "".

other

epreuve.sty : write \’EPREUVE on each PostScript page.

Documentation: look for ALIRE.* in the main directory (source is in dir. doc)
=====

Your "TO DO" list: is explained in other directories.
=====

Hope you enjoy it,

Bernard GAULLE

=====
%%
%%
%% checksum = "21738 205 1409 10825"
%%
%%
=====