

```
% TDSfr of the french style files distribution
%                                     Copyright Bernard Gaulle as in french_doc.txt
%
```

```
Where to put the files from the french distribution?
=====
```

Assuming you download the distrib under `$texmf/source`  
(probably and preferably `.../texmf-local/source`)  
you have to move many files to various places.  
Here are the guidelines if there is no way for you to use  
the automatic GNUmakefile installation procedure:

If your engine is M<sup>L</sup>TeX capable, use the `mltex` tree and place  
links in the `tex` tree.

The hyphenation files:  
=====

`initex/frhyph.tex` should go to `$texmf/tex/generic/hyphen`  
along with `dumyhyph.tex` and `zerohyph.tex`

The documentation files:  
=====

`Alire.*` (to be renamed something like `DocFrenchAlire.*`)  
and `doc/*` should go to `$texmf/doc/french/base`

The configuration files:  
=====

`.ini`, `.cfg`, `.dat` should go to `$texmf/(ml)tex/french/config`  
along with `hyconfig.tex`, `hymltex3.tex` and `ecplain.tex`

The frenchle input files:  
=====

`.sty` and `.ldf` should go to `$texmf/tex/latex/frenchle`

The keyboard input files:  
=====

`.sty`, `.tex` and `.kbc` should go to `$texmf/tex/latex/keyboard`

The msg input files:  
=====

`.sty` and `.tex` should go to `$texmf/tex/latex/msg`

The mlp input files:  
=====

`.sty` and `.mlp` should go to `$texmf/tex/latex/mlp`

The run-time input files:  
=====

`.ist` files (if any) should go to `$texmf/mkindex/french`  
`.bst` files (if any) should go to `$texmf/bibtex/french`  
all other files of `inputs/*` except `.doc`, `.org` and `README*`  
should go to `$texmf/(ml)tex/french/base`  
`language.dat` should go there.

The contrib files:  
=====

`.ist` files (if any) should go to `$texmf/mkindex/french` or `french/contrib`  
`.bst` files (if any) should go to `$texmf/bibtex/french` or `french/contrib`

all other files should go to \$texmf/(ml)tex/french/contrib

The executable modules you will generate can go in any place where  
===== they can be called simply by there name.

Defaultly, if you have the rights to do it, move them at the  
same place where TeX resides.

All other unmoved files:

=====

should stay in the tree \$texmf/source/french

--bg modified 2006/01/20

=====  
%%  
%% checksum = "54066 77 312 2622"  
%%  
=====